




OVERALL DIMENSIONS

MPK20.2



BOOM SWING



[mm]

OVERALL INFORMATIONS

		DESCRIPTION	U.M	VALUE
CRANE INFO	 OVERALL DIMENSIONS	Height	mm	1.530
		Length		2.690
		Width		1.190
	 BOOM	Length	m	2,3/6,2
		Speed	s	32
	 SLEWING	Angle	°	-6°/+6°
		Speed	rpm	1
	 LIFTING	Working Angle	°	-20°/+57°
		Speed	s	32
	 MAX CAPACITY		kg	2.000
	 BACK WHEEL MAX LOAD		kg	550*
	 FRONT WHEEL MAX LOAD	Turret positioned at 0°		1650†
Turret slewed by 6°		2000†		
 TRAVEL SPEED		km/h	4	
 GRADEABILITY		°	10° (18%)	
 WORKING TEMPERATURE		°C	-20°/+40°	
	Lifting Class (UNI 4301-1)			A1

WEIGHTS		CRANE	MPK20.2	kg	1440‡
		COUNTERWEIGHT	All	kg	405
		TOTAL	Total weight	kg	1845


ACCESSORIES		JIB	JIB1000.GX	kg	18
		WINCH	W700.60-MPK	kg	60

*: Without Load


†: With load

‡: Dry weight

MAIN BOOM



JIB1000.GX



MAIN BOOM



MANUAL EXTENSION

[kg]